

# An Example OWL Ontology

ENC 2004, September 2004

**Peter F. Patel-Schneider**

## A small OWL ontology

- to demonstrate the syntaxes of OWL
- to demonstrate how to use OWL
- to demonstrate the utility of OWL
- to demonstrate reasoning in OWL

1

## Three Variants of OWL

- OWL Full
  - an extension of RDF
  - allows for classes as instances, modification of RDF and OWL vocabularies
- OWL DL
  - the part of OWL Full that fits in the Description Logic framework
  - known to have decidable reasoning
- OWL Lite
  - a subset of OWL DL
  - easier for frame-based tools to transition to
  - easier reasoning

2

## Two Syntaxes for OWL

- RDF/XML documents
  - <http://www.cs.man.ac.uk/~horrocks/ISWC2003/Tutorial/people+pets.owl.rdf>
  - so that OWL is part of the Semantic Web
  - so that OWL can be an extension of RDF
  - so that RDF applications can parse OWL
- “abstract” syntax
  - <http://www.cs.man.ac.uk/~horrocks/ISWC2003/Tutorial/people+pets.abs>
  - easier to read and write manually
  - corresponds more closely to Description Logics and Frames

3

## Living in the Semantic Web and World Wide Web

- names in OWL are RDF URI references
  - e.g., `http://cohse.semanticweb.org/ontologies/people#pet`
  - often (informally) abbreviated via XML qualified names
  - e.g., `pp:pet`
- data items belong to XML Schema datatypes
  - e.g., XML Schema integers and strings
  - generally written in RDF/XML form
  - e.g., `"7"8sd:integer`, `"Susan"8sd:string`

4

## How is OWL Used

1. build an ontology
  - create the ontology
  - name classes and provide information about them
  - name properties and provide information about them
  - (would be slightly inaccurate to say “define” here)
2. state facts about a domain
  - provide information about individuals
3. reason about ontologies and facts
  - determine consequences of what was built and stated

5

## Creating Ontologies

- information in OWL is generally in an ontology
  - ontology—“a branch of metaphysics concerned with the nature and relations of being” [Merriam-Webster Dictionary]
  - an ontology determines what is of interest in a domain and how information about it is structured
  - an OWL ontology is just a collection of information, generally mostly information about classes and properties
- `Ontology([name] ...)`
- ontologies can include (import) information from other ontologies
  - `Ontology([name] owl:imports(<name>) ...)`

6

## Classes

- What is a Class?
  - e.g., `person`, `pet`, `old`
  - a collection of individuals (object, things, ...)
  - a way of describing part of the world
  - an object in the world (OWL Full)

7

## Example Classes

```
Class(pp:animal partial
  restriction(pp:eats someValuesFrom(owl:Thing)))
Class(pp:person partial pp:animal)
Class(pp:man complete
  intersectionOf(pp:person pp:male pp:adult))
Class(pp:animal+lover complete
  intersectionOf(pp:person
    restriction(pp:has_pet minCardinality(3))))
```

8

## Example Classes

```
Class(pp:vegetarian complete
  intersectionOf(pp:animal
    restriction(pp:eats
      allValuesFrom(complementOf(pp:animal))))
  restriction(pp:eats
    allValuesFrom(
      complementOf(restriction(pp:part_of
        someValuesFrom(pp:animal))))))
DisjointClasses(pp:young pp:adult)
```

9

## Properties

- What is a Property?
  - e.g., has\_father, has\_pet, service\_number
  - a collection of relationships between individuals (and data)
  - a way of describing a kind of relationship between individuals
  - an object in the world (OWL Full)

10

## Example Properties

```
ObjectProperty(pp:eaten_by)
ObjectProperty(pp:eats inverseOf(pp:eaten_by)
  domain(pp:animal))
ObjectProperty(pp:has_pet domain(pp:person)
  range(pp:animal))
ObjectProperty(pp:is_pet_of inverseOf(pp:has_pet))
DataProperty(pp:service_number range(xsd:integer))

SubPropertyOf(pp:has_pet pp:likes)
```

11

## Individuals

- objects in the world
- belong to classes
- are related to other objects and to data values via properties

12

## Example Individuals

```
Individual(pp:Tom type(owl:Thing))
Individual(pp:Dewey type(pp:duck))
Individual(pp:Rex type(pp:dog) value(pp:is_pet_of pp:Mick))
Individual(pp:Mick type(pp:male)
  value(pp:reads pp:Daily+Mirror)
  value(pp:drives pp:Q123+ABC))
Individual(pp:The42 type(pp:bus)
  value(pp:service_number "42"^^xsd:integer))
```

13

## The OWL View of Life

OWL is not like a database system

- no requirement that the only properties of an individual are those mentioned in a class it belongs to
- no assumption that everything is known
  - How many pets does Mick have? (Answer: at least one)
- classes and properties can have multiple “definitions”
- statements about individuals need not be together in a document

14

## Using OWL (Building Ontologies)

- determine how the world (domain) should work
  - determine the classes and properties in the domain
  - determine domains and ranges for properties
  - determine characteristics of classes
  - add individuals and relationships as necessary
    - \* some individuals belong here
  - iterate until “good enough”
  - package all this into an ontology
  - *hope that someone else has done most of the work*
    - \* *just import all that work*
- build the OWL ontology
  - ask whether the ontology is consistent
  - ask whether the classes are coherent

15

## Using OWL (for a Particular Task)

- populate the world (for a particular task)
  - determine the individuals needed for the task
  - determine the relationships between individuals
  - *often this will be easy*
    - \* *information already in some database, etc.*
- write the information in OWL
  - ask whether the information is consistent
  - ask whether other information is entailed

16

## What Follows in the Example Ontology

```
Class(pp:old+lady complete
  intersectionOf(pp:elderly pp:female pp:person))
Class(pp:old+lady partial
  intersectionOf(
    restriction(pp:has_pet allValuesFrom(pp:cat))
    restriction(pp:has_pet someValuesFrom(pp:animal))))
```

Every old lady must have a pet cat. (Because she must have some pet and all her pets must be cats.)

17

## What Follows in the Example Ontology

```
Class(pp:cow partial pp:vegetarian)
Class(pp:mad+cow complete
  intersectionOf(pp:cow restriction(pp:eats
    someValuesFrom(intersectionOf(pp:brain
      restriction(pp:part_of someValuesFrom pp:sheep))))))
```

There can be no mad cows.  
(Because cows, as vegetarians, don't eat anything that is a part of an animal.)

18

## What Follows in the Example Ontology

```
ObjectProperty(pp:has_pet domain(pp:person)
  range(pp:animal))
Class(pp:old+lady complete
  intersectionOf(pp:elderly pp:female pp:person))
Class(pp:old+lady partial
  intersectionOf(restriction(pp:has_pet allValuesFrom(pp:cat))
    restriction(pp:has_pet someValuesFrom(pp:animal))))
Individual(pp:Minnie type(pp:elderly) type(pp:female)
  value(pp:has_pet pp:Tom))
```

Minnie must be a person (because pet owners are human) and thus is an old lady. Thus Tom must be a cat (because all pets of old ladies are cats).

19

## What Follows in the Example Ontology (extended)

```
Class(pp:animal+lover complete
  intersectionOf(pp:person
    restriction(pp:has_pet minCardinality(3))))
Individual(pp:Walt type(pp:person)
  value(pp:has_pet pp:Huey)
  value(pp:has_pet pp:Louie)
  value(pp:has_pet pp:Dewey))
DifferentIndividuals(pp:Huey pp:Louie pp:Dewey)
```

Walt must be an animal lover. Note that stating that Walt is a person is redundant.

20

## What Follows in the Example Ontology

```
Class(pp:van partial pp:vehicle)
Class(pp:driver partial pp:adult)
Class(pp:driver complete
  intersectionOf(restriction(pp:drives
    someValuesFrom(pp:vehicle))
    pp:person))
Class(pp:white+van+man complete
  intersectionOf(pp:man
    restriction(pp:drives
      someValuesFrom(intersectionOf(pp:white+thing pp:van))))))
Class(pp:white+van+man partial
  restriction(pp:reads allValuesFrom pp:tabloid))
```

21

## What Follows in the Example Ontology

```
Individual(pp:Q123+ABC type(pp:white+thing) type(pp:van))
Individual(pp:Mick type(pp:male)
  value(pp:reads pp:Daily+Mirror)
  value(pp:drives pp:Q123+ABC))
```

Mick drives a white van, so he must be an adult (because all drivers are adults). As Mick is male, thus he is a white van man, so any paper he reads must be a tabloid, thus the Daily Mirror is a tabloid.

22

## Can All This Really be Done?

- quite a bit is going on here
- reasoning in OWL is difficult
- *next part of tutorial*

23